









PLÁSTICOS Y CAUCHO
PLASTICS & RUBBER

FABRICANTE	MARCA	PRODUCTO
	Edgetek™ BIO	Natural Filled Formulations
	Gravi-Tech™ BIO	Bio-Based Formulations
	Maxxam™ BIO	Bio-Based Polyolefin Formulations
	Nymax™ BIO	Bio-based Polyamide Solutions
	Edgetek™ PKE	Polyketone Formulations
	Gravi-Tech™	Fórmulas de reemplazo de plomo
	Gravi-Tech™ REC	Recycled Formulations
	Maxxam™ REC	Recycled Polyolefin Formulations
	Antigos	Antigos
	Antioxidants	Antioxidants
	BiAx4CE™	Estructuras de film BOPE
	BioRange™	PBAT Masterbatches
	BlueEdge™	BlueEdge
	Desiccant Concentrates	PE
	Foaming Agent	Foaming PE MB
	GASTOP - Flex	GASTOP - Flex
	GermsClean	GermsClean
	GreenEdge™	PE, PET
	Laser Marking	PE
	Light Diffusers	Light Diffusers
MATIP 347	MATIP 347	

FABRICANTE	MARCA	PRODUCTO
	Nucleant PP	PP
	OdorClear	PE MB
	REC-NIR Black™	PE, PP, PS, SAN, PBT
	REC O Black™	PE MB
	Revive™ Compatibilizer	Compatibilidad MB
	SAFARI White	PBT
	ThermProtect™	PE, PET, r-PET
	UV Absorbers	UV Absorbers
	Technyl® 4EARTH	PA66 (Polyamide 66)
	Hanwha	HTPC Low carbon PE/PP
	Mechanical Post-CR ABS	PC, PC/ABS, PA6
	Chemical Pre-CR ABS	PC, PC/ABS, PBT, TPEE
	Bio Balanced ABS	PA56, PBT, TPEE
	Bio-Mass Balanced	PC, PC/ABS
	BioPBS™	Bio-Based Polybutylene Succinate
	DURABIO™	PC, PMMA

FABRICANTE	MARCA	PRODUCTO
	Biopolinov™	Bioplásticos
	PP Copolimero Inyección PEAD extrusión PEBD extrusión	
	PLEXIGLAS® proTerra	PMMA
	TRUCIRCLE™	Polycarbonate based on certified Renewable Feedstock PE, PP
	SAXAGREEN SAXABIO SAXAMID SAXAPLAST SAXESS	PA6 PA6 & PA6.6 PP

FABRICANTE

MARCA

PRODUCTO



Woodly 100
Woodly 200
Woodly 300
Woodly 400
Woodly 500
Woodly 600
Woodly 700
Foam




Uniform Color

Chemical Foaming Agent
NIR Sortable Black Technology
Coloring Post Consumer
Recycle (PCR)



APLICACIONES CAUCHO

Caucho Natural
Látex Natural
Látex Pre-Vulcanizado
SBR (Solución y Emulsión)
Poli-Isopreno (SKI - 3S)



GUZMAN POLYMERS

Hromatka Group

www.guzmanpolymers.es

SPAIN
Valencia
+34 963 110 333

